





Winston-Salem



**LAND USE AND MULTIMODAL TRANSPORTATION CIRCULATION PLAN
PHASE 2**



PHASE 2
US 52 LAND USE AND MULTIMODAL TRANSPORTATION CIRCULATION PLAN

Prepared for:



The City of Winston-Salem, North Carolina

Prepared by:



RS&H Architects-Engineers-Planners, Inc.

| Table of Contents | Page |
|---|-----------|
| 1.0 Introduction and Project Background | 3 |
| 1.1 Planning Context | 3 |
| 1.2 Winston-Salem/Forsyth County Legacy Comprehensive Plan | 3 |
| 2.0 Project Description and Purpose | 6 |
| 2.1 Phase 2 Study Area | 6 |
| 2.2 Purpose and Objectives | 6 |
| 3.0 Existing Conditions | 8 |
| 3.1 Existing Land Use and Zoning | 8 |
| 3.1.1 Area Land Uses | 8 |
| 3.1.2 Zoning | 9 |
| 3.2 Existing Transportation Facilities | 11 |
| 3.2.1 Roadways | 11 |
| 3.2.2 Multi-modal Facilities | 14 |
| 3.2.3 Other Facilities | 14 |
| 3.3 Existing Traffic Patterns and Capacity Analysis | 16 |
| 3.3.1 Capacity Analysis Methodology | 16 |
| 3.3.2 2005 Traffic Volumes and Operational Analysis | 17 |
| 4.0 Future Land Use Plans | 33 |
| 4.1 Winston-Salem Small Area Plans | 33 |
| 4.1.1 Downtown Winston-Salem Area Plan | 33 |
| 4.1.2 East Winston Area Plan | 33 |
| 4.1.3 South Central Winston-Salem Area Plan | 34 |
| 4.1.4 Southeast Winston-Salem Area Plan | 35 |
| 4.2 Proposed Major Developments and Activity Centers | 35 |
| 4.2.1 Piedmont Triad Research Park | 35 |
| 4.2.2 Goler-Depot Street Renaissance Strategic Development Plan | 36 |
| 4.2.3 Happy Hill Gardens Redevelopment | 36 |
| 4.2.4 Southeast Gateway Plan: Gateway Winston-Salem | 36 |
| 4.2.5 Winston-Salem State University Master Plan | 36 |
| 4.3 Phase 1 US 52 Land Use and Transportation Plan | 36 |
| 4.3.1 Basis for Phase 1 US 52 Land Use and Development Strategies | 37 |
| 4.3.2 Summary of Phase 1 US 52 Land Use and Development Strategies | 37 |
| 5.0 Transportation Plan Initiatives | 44 |
| 5.1 2030 Winston-Salem Urban Area Long Range Transportation Plan | 44 |
| 5.1.1 Overview | 44 |
| 5.1.2 2030 Long Range Transportation Plan Recommendations | 44 |
| 5.2 Winston-Salem/Forsyth County Urban Area Thoroughfare Plan | 45 |
| 5.2.1 Overview | 45 |
| 5.2.2 Thoroughfare Plan Recommendations | 45 |
| 5.3 North Carolina State Transportation Improvement Program (STIP) | 46 |
| 5.4 Piedmont Authority for Regional Transportation Studies | 46 |
| 5.5 Streetcar Feasibility Study | 46 |
| 6.0 Phase 2 Proposed Transportation Improvements | 49 |
| 6.1 Proposed Improvements for US 52 Corridor and Major Thoroughfares | 49 |
| 6.2 Proposed Traffic Circulation and Street Connectivity Plan | 50 |
| 7.0 2030 Travel Demand and Capacity Analysis | 53 |
| 7.1 Travel Demand Forecasting | 53 |
| 7.2 2030 Operational Analysis | 54 |
| 7.2.1 2030 No Build Conditions Capacity Analysis | 54 |
| 7.2.2 2030 Build Conditions Capacity Analysis | 55 |
| 7.3 Summary of Capacity Analyses of Phase 2 Transportation Improvements | 60 |
| 8.0 US 52 Corridor and Streetscape Design Concepts | 65 |
| 8.1 Guiding Principles of Aesthetic Design for Phase 2 Study Area | 65 |
| 8.2 Phase 2 Study Area Design Guidelines | 65 |
| 8.2.1 Existing Conditions | 65 |
| 8.2.2 Proposed Design Theme for US 52 Corridor | 65 |
| 8.3 Overview of Aesthetic Design | 65 |
| 8.3.1 Design Concepts for US 52 Corridor and Major Thoroughfares | 66 |

List of Tables

| | |
|-------------|--|
| Table 3-1. | City of Winston-Salem Zoning Code Definitions |
| Table 3-2. | Cross-Streets Interchanging with US 52 in Phase 2 Study Area |
| Table 3-3. | Cross-Streets Interchanging with Business I-40 (US 421) in Phase 2 Study Area |
| Table 3-4. | Existing Conditions Roadway Inventory in Phase 2 Study Area |
| Table 3-5. | Level of Service Criteria for Mainline Capacity Analysis |
| Table 3-6. | Level of Service Criteria for Weaving Segment Capacity Analysis |
| Table 3-7. | Level of Service Criteria for Arterial Capacity Analysis |
| Table 3-8. | Level of Service Criteria for Intersection Capacity Analysis |
| Table 3-9. | AM Peak Hour Mainline Capacity Analysis 2005 Existing Conditions |
| Table 3-10. | PM Peak Hour Mainline Capacity Analysis 2005 Existing Conditions |
| Table 3-11. | AM Peak Hour Ramp Capacity Analysis 2005 Existing Conditions |
| Table 3-12. | PM Peak Hour Ramp Capacity Analysis 2005 Existing Conditions |
| Table 3-13. | AM Peak Hour Weaving Segment Analysis 2005 Existing Conditions |
| Table 3-14. | PM Peak Hour Weaving Segment Analysis 2005 Existing Conditions |
| Table 3-15. | AM and PM Peak Hour Signalized Intersection Capacity Analysis 2005 Existing Conditions |
| Table 3-16. | AM and PM Peak Hour Unsignalized Intersection Capacity Analysis 2005 Existing Conditions |
| Table 5-1. | 2030 Winston-Salem Long-Range Transportation Plan Project Goals |
| Table 7-1. | Comparison of Winston-Salem Regional Travel Demand Model Projections and 2003 ADT Count Data |
| Table 7-2. | AM Peak Hour Mainline Capacity Analysis 2030 No Build Conditions |
| Table 7-3. | PM Peak Hour Mainline Capacity Analysis 2030 No Build Conditions |
| Table 7-4. | AM Peak Hour 2030 No Build Conditions |
| Table 7-5. | PM Peak Hour Ramp Capacity Analysis 2030 No Build Conditions |
| Table 7-6. | AM Peak Hour Weaving Segment Analysis 2030 No Build Conditions |
| Table 7-7. | PM Peak Hour Weaving Segment Analysis 2030 No Build Conditions |
| Table 7-8. | Arterial Capacity Analysis 2030 No Build Conditions |
| Table 7-9. | Arterial Capacity Analysis 2030 Build Conditions |
| Table 7-10. | PM Peak Hour Signalized Intersection Capacity Analysis 2030 Build Conditions |

List of Figures

| | |
|--------------|---|
| Figure 1-1. | Project Location Map |
| Figure 2-1. | Phase 2 Study Area |
| Figure 3-1. | Existing Land Use |
| Figure 3-2. | Existing Zoning |
| Figure 3-3. | Existing Transportation Facilities |
| Figure 3-4. | 2005 Peak Hour Mainline and Ramp Traffic Volumes |
| Figure 3-5. | 2005 Peak Hour Intersection Traffic Volumes |
| Figure 4-1. | Proposed Major Developments |
| Figure 4-2. | Phase 1 US 52 Land Use and Development Strategy |
| Figure 5-1. | Future Transportation Facilities |
| Figure 6-1. | Phase 2 Proposed Transportation Improvements |
| Figure 7-1. | 2030 No Build AM and PM Peak Hour Mainline and Ramp Traffic Volumes |
| Figure 7-2. | 2030 Build AM and PM Peak Hour Mainline and Ramp Traffic Volumes |
| Figure 7-3. | 2030 Build PM Peak Hour Intersection Traffic Volumes |
| Figure 8-1. | Aesthetic Treatment Opportunities |
| Figure 8-2. | Stadium Drive – Old Salem |
| Figure 8-3. | Stadium Drive – (Detail) |
| Figure 8-4. | Stadium Drive – (Alternate Detail) |
| Figure 8-5. | Stadium Drive – Bird’s Eye |
| Figure 8-6. | Stadium Drive Treatment Option |
| Figure 8-7. | Third, Fourth, and Fifth Street – Research |
| Figure 8-8. | Third, Fourth, and Fifth Street – Research (Detail) |
| Figure 8-9. | Third and Fourth Street – Freeway Cap |
| Figure 8-10. | Third, Fourth, and Fifth Street – Bird’s Eye |
| Figure 8-11. | Third and Fourth Street Bridges Treatment Option |
| Figure 8-12. | Martin Luther King, Jr. Drive Interchange |
| Figure 8-13. | Martin Luther King, Jr. Drive Interchange (Detail) |
| Figure 8-14. | Martin Luther King, Jr. Drive Interchange - Bird’s Eye |
| Figure 8-15. | Martin Luther King, Jr. Drive Interchange (View from Martin Luther King, Jr. Drive) |
| Figure 8-16. | Martin Luther King, Jr. Drive Treatment Option |
| Figure 8-17. | Median Planting Option |
| Figure 8-18. | Terraced Roadside Planting Area |
| Figure 8-19. | Signage Options |